## **Asphalt Paver(crawler&wheel)**

O	: Need to Photo	

Company Name			Derivaly Yard		Sta	rt Price	JPY(ten-thousand)					
Model Serial No.												
Mo	odel		Serial No.			☐ Ma	chine Engraved No.					
V.	204		Hour			gine Plate No.						
(Displayed)  H(Broken?)  Engine Plate No.												
	Engine Mileage Hour Meter  (Model/SerialNo) (Displayed)											
(Model/S	SerialNo)		(Displayed)	km(Broken?)								
Docume	ents	☐ Mal	ker's Jyoutosyo									
		□ Do	ocuments									
		Fea	ture and Comment	(Imporant Notice)								
. 🗆	Not Insp	ected [	Not Confirmed Ope	ration & missing parts 🔲	Use	d machir	ne from abroad					
	Not Wor	king [	Damaged Mack	nine(Fire)	Dan	naged Ma	chine(Overturning)					
	Damage	d Machine(Sea water)	Damaged Mack	nine(Fresh water)								
	Be Care	ful when Loading!(Knocking n	oise from Engine)[	☐ Do not Start Engine(I	Knoc	king nois	e from Engine)					
	Do not S	Start Engine(Overheat)										
	Steer In	operable [	Operation Inop	erable								
	☐ Inoperable Backward ☐ Operable only Backward(Inoperable Forward)											
	☐ Unable to ride on the track under its own power											
		Parking brake are not working										
		oil leaking (Repairs & protecti										
	Totally F	Rusty E 's Engraved No.( Not Availa	<u>'</u>		' Na	+ Availab	do • Illogiblo )					
	Macrime	S Effgraved No. ( Not Availa	bie - Illegible / L	Engine's Engraved No. (	, INC	T Availab	ne - megible /					
Radi	tation Insp	pection   Not Ins	paction $\Box$	Raditation Level (			) μ Sv					
	EPA											
	Max wid	th screed plate(s)(	)m (	Automatic • Manual )								
	w/exten	sion ( )m										
		lling OO pieces	(				)					
		City, $\bigcirc\bigcirc$ Prf.	( (IDV:\\\\\) (				)					
		only in Domestic(Japan)	☐ (JPY:◇◇◇) (				)					
		ttachment					,					
	TO A SECURITORIE											
Othe	ers											
L												

Next page present

## Previous page present

E	ENGINE	( ☐ No problem in particular ☐ Problem ☐ Not inspected(include missing parts )
Engine replacement	D E	☐ Missing (missing parts name (Include Battery))
"Engraved Serial No." can not find.	D E	☐ Battery Died 〈Battery is necessary except inoperable machine〉
D		☐ Engine replacement
E		☐ "Engraved Serial No." can not find. ☐ Engraved serial number illegible
E	D	☐ Need to hot wiring
E	E	☐ Won't start Engine
E   Crank-Shaft is not tuck	E	☐ Hole(Crack) in the Engine Block
E	E	☐ Starter connection problem
E   Others   D   Starter Connection problem, not smooth   D   Engine stop dose not work   C   D   Engine not Pick-Up smoothly   C   D   PRM get down under load   C   D   Stall under load   D   PRM dose not steady   D   Cylinder misfire (Cylinder No. , , )   D   E   Rod knocking noise   (Severe * Moderate * Slight )   C   D   Oil loss through valve guide (loss through piston )   (Severe * Moderate * Slight )   C   D   Exhaust color   (Black * White * Blue )   C   D   Blow-by   (Severe * Moderate * Slight )   C   D   Milky Mixed with water   (Severe * Moderate * Slight )   C   D   Hole(Crack) on Exhaust pipe   C   D   Injection-pump   Oil Leak   (Severe * Moderate * Minor )   C   D   Turbo-charger   Oil Leak   (Severe * Moderate * Minor )   C   D   Tappet-cover   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )   C   D   Head-gasket   Oil Leak   (Severe * Moderate * Minor )	Е	☐ Crank-Shaft is not tuck
D	Е	☐ Overheat
D   Engine stop dose not work    C	E	☐ Others
C D   Engine not Pick-Up smoothly   C D   PRM get down under load   C D   Stall under load   D   PRM dose not steady   D   Cylinder misfire (Cylinder No. , , ) D E   Rod knocking noise (Severe 'Moderate 'Slight)   C D   Oil loss through valve guide (loss through piston ) (Severe 'Moderate 'Slight)   C D   Exhaust color (Black 'White 'Blue )   C D   Blow-by (Severe 'Moderate 'Slight)   C D   Milky Mixed with water (Severe 'Moderate 'Slight)   C D   Hole(Crack) on Exhaust pipe   C D   Fan (Unusual noise 'broken 'Missing ) Fan-belt failed   C D   Injection-pump Oil Leak (Severe 'Moderate 'Minor)   C D   Turbo-charger Oil Leak (Severe 'Moderate 'Minor)   C D   Tappet-cover Oil Leak (Severe 'Moderate 'Minor)   C D   Tappet-cover Oil Leak (Severe 'Moderate 'Minor)	D	☐ Starter Connection problem, not smooth
C D PRM get down under load  C D Stall under load  D PRM dose not steady  D Cylinder misfire (Cylinder No. , , )  D E Rod knocking noise (Severe * Moderate * Slight)  C D Oil loss through valve guide (loss through piston) (Severe * Moderate * Slight)  C D Exhaust color (Black * White * Blue)  C D Blow-by (Severe * Moderate * Slight)  C D Milky Mixed with water (Severe * Moderate * Slight)  C D Hole(Crack) on Exhaust pipe  C D Fan (Unusual noise * broken * Missing) Fan-belt failed  C D Injection-pump Oil Leak (Severe * Moderate * Minor)  C D Oil-pan Oil Leak (Severe * Moderate * Minor)  C D Turbo-charger Oil Leak (Severe * Moderate * Minor)  C D Head-gasket Oil Leak (Severe * Moderate * Minor)	D	☐ Engine stop dose not work
C D Stall under load  D PRM dose not steady  D Cylinder misfire (Cylinder No. , , )  D E Rod knocking noise (Severe * Moderate * Slight )  C D Oil loss through valve guide (loss through piston ) (Severe * Moderate * Slight )  C D Exhaust color (Black * White * Blue )  C D Blow-by (Severe * Moderate * Slight )  C D Milky Mixed with water (Severe * Moderate * Slight )  C D Hole(Crack) on Exhaust pipe  C D IFan (Unusual noise * broken * Missing ) Fan-belt failed  C D Injection-pump Oil Leak (Severe * Moderate * Minor )  C D Oil-pan Oil Leak (Severe * Moderate * Minor )  C D Head-gasket Oil Leak (Severe * Moderate * Minor )	C D	☐ Engine not Pick-Up smoothly
D   PRM dose not steady   D   Cylinder misfire (Cylinder No. , , )   D   E   Rod knocking noise   (Severe • Moderate • Slight )   C   D   Oil loss through valve guide (loss through piston )   (Severe • Moderate • Slight )   C   D   Exhaust color   (Black • White • Blue )   C   D   Blow-by   (Severe • Moderate • Slight )   C   D   Milky Mixed with water   (Severe • Moderate • Slight )   C   D   Hole(Crack) on Exhaust pipe   C   D   Fan   (Unusual noise • broken • Missing )   Fan-belt failed   C   D   Injection-pump   Oil Leak (Severe • Moderate • Minor )   C   D   Turbo-charger   Oil Leak (Severe • Moderate • Minor )   C   D   Tappet-cover   Oil Leak (Severe • Moderate • Minor )   C   D   Head-gasket   Oil Leak (Severe • Moderate • Minor )	C D	☐ PRM get down under load
D   Cylinder misfire (Cylinder No. , )  D   E	C D	☐ Stall under load
D E Rod knocking noise (Severe · Moderate · Slight)  C D Oil loss through valve guide (loss through piston) (Severe · Moderate · Slight)  C D Exhaust color (Black · White · Blue)  C D Blow-by (Severe · Moderate · Slight)  C D Milky Mixed with water (Severe · Moderate · Slight)  C D Hole(Crack) on Exhaust pipe  C D Fan (Unusual noise · broken · Missing) Fan-belt failed  C D Injection-pump Oil Leak (Severe · Moderate · Minor)  C D Oil-pan Oil Leak (Severe · Moderate · Minor)  C D Turbo-charger Oil Leak (Severe · Moderate · Minor)  C D Head-gasket Oil Leak (Severe · Moderate · Minor)	D	☐ PRM dose not steady
C D Oil loss through valve guide ( loss through piston ) ( Severe • Moderate • Slight )  C D Exhaust color ( Black • White • Blue )  C D Blow-by ( Severe • Moderate • Slight )  C D Milky Mixed with water ( Severe • Moderate • Slight )  C D Hole(Crack) on Exhaust pipe  C D Fan ( Unusual noise • broken • Missing ) Fan-belt failed  C D Injection-pump Oil Leak ( Severe • Moderate • Minor )  C D Oil-pan Oil Leak ( Severe • Moderate • Minor )  C D Turbo-charger Oil Leak ( Severe • Moderate • Minor )  C D Head-gasket Oil Leak ( Severe • Moderate • Minor )	D	☐ Cylinder misfire (Cylinder No. , , )
C D   Exhaust color (Black · White · Blue )  C D   Blow-by (Severe · Moderate · Slight )  C D   Milky Mixed with water (Severe · Moderate · Slight )  C D   Hole(Crack) on Exhaust pipe  C D   Fan (Unusual noise · broken · Missing )   Fan-belt failed  C D   Injection-pump   Oil Leak (Severe · Moderate · Minor )  C D   Oil-pan   Oil Leak (Severe · Moderate · Minor )  C D   Turbo-charger   Oil Leak (Severe · Moderate · Minor )  C D   Head-gasket   Oil Leak (Severe · Moderate · Minor )	D E	☐ Rod knocking noise ( Severe • Moderate • Slight )
C D Blow-by (Severe · Moderate · Slight)  C D Milky Mixed with water (Severe · Moderate · Slight)  C D Hole(Crack) on Exhaust pipe  C D Fan (Unusual noise · broken · Missing) Fan-belt failed  C D Injection-pump Oil Leak (Severe · Moderate · Minor)  C D Oil-pan Oil Leak (Severe · Moderate · Minor)  C D Turbo-charger Oil Leak (Severe · Moderate · Minor)  C D Head-gasket Oil Leak (Severe · Moderate · Minor)	C D	☐ Oil loss through valve guide ( loss through piston ) ( Severe • Moderate • Slight )
C D   Milky Mixed with water (Severe · Moderate · Slight)  C D   Hole(Crack) on Exhaust pipe  C D   Fan (Unusual noise · broken · Missing)   Fan-belt failed  C D   Injection-pump   Oil Leak (Severe · Moderate · Minor)  C D   Oil-pan   Oil Leak (Severe · Moderate · Minor)  C D   Turbo-charger   Oil Leak (Severe · Moderate · Minor)  C D   Head-gasket   Oil Leak (Severe · Moderate · Minor)	C D	
C D	C D	
C D Gran (Unusual noise • broken • Missing ) Gran-belt failed C D Gran Oil Leak (Severe • Moderate • Minor ) C D Gran Oil Leak (Severe • Moderate • Minor ) C D Gran Oil Leak (Severe • Moderate • Minor ) C D Grappet-cover Oil Leak (Severe • Moderate • Minor ) C D Grappet-cover Oil Leak (Severe • Moderate • Minor ) C D Grappet-cover Oil Leak (Severe • Moderate • Minor )	C D	
C       D       Injection-pump       Oil Leak (Severe • Moderate • Minor)         C       D       Oil-pan       Oil Leak (Severe • Moderate • Minor)         C       D       Turbo-charger       Oil Leak (Severe • Moderate • Minor)         C       D       Tappet-cover       Oil Leak (Severe • Moderate • Minor)         C       D       Head-gasket       Oil Leak (Severe • Moderate • Minor)	C D	
C       D       Oil-pan       Oil Leak (Severe • Moderate • Minor)         C       D       Turbo-charger       Oil Leak (Severe • Moderate • Minor)         C       D       Tappet-cover       Oil Leak (Severe • Moderate • Minor)         C       D       Head-gasket       Oil Leak (Severe • Moderate • Minor)	C D	i de la companya de
C D	C D	☐ Injection-pump Oil Leak (Severe • Moderate • Minor)
C D	C D	☐ Oil-pan Oil Leak (Severe • Moderate • Minor)
C D Head-gasket Oil Leak (Severe • Moderate • Minor)	C D	☐ Turbo-charger Oil Leak (Severe • Moderate • Minor)
1 1 1	C D	
C D ☐ Around Engine Oil Leak (Severe • Moderate • Minor) ☐ ALL ☐ Front ☐ Rear	C D	
	C D	☐ Around Engine Oil Leak (Severe • Moderate • Minor) ☐ ALL ☐ Front ☐ Rear
	C D	
	C D	
C D Radiator Water leak (Severe • Moderate • Minor)	C D	☐ Radiator Water leak(Severe • Moderate • Minor)
C D Others	C D	☐ Others

Next page present

## Previous page present

OPE	RATIO	N	( □ No	Problem	Problem	Not inspecte	d(include mi	ssing parts	)
С	D	Е	☐ Adjustment rod ☐	Not inspected	☐ Not Working	g 🗆 Slow		Unstable	
С	D	Е	☐ Hopper ☐	Not inspected	☐ Not Working	g 🗆 Slow		Unstable	
С	D	Е	☐ Screed ☐	Not inspected	☐ Not Working	g 🗆 Slow		Unstable	
С	D	Е	☐ Conveyor ☐	Not inspected	☐ Not Working	g 🗆 Slow		Unstable	
С	D	Е	☐ Vibrator ☐	Not inspected	☐ Not Working	g 🗆 Slow		Unstable	
С	D		☐ Scarifire problem ☐	Not Working	☐ Slow(Not	enough power	•)		
С	D	Е	☐ Monitor(s) ☐	] Monitor Error(E	rror No.	) 🗆 W	arning singe	on the Moni	itor 💍
С	D		☐ Operation Lever ☐	] Unstable	☐ Stiff	☐ St	tuck		
С	D		☐ Throttle ☐	] Unstable	☐ Stiff	☐ St	tuck		
С	D	E	☐ Other Problem						
TRA	VEL		(	Problem □	Problem	Not Inspecte	ed )		
TRA\	VEL D	E	(	Problem □ □ All Gear:		Not Inspecte	ed )		
		E	ı		S	Not Inspecte	ed )		
С	D	E	ı	☐ All Gears	S No.		ed )		
С	D D		☐ Inoperable	☐ All Gears	S No.		ed )		
C C	D D		☐ Inoperable	☐ All Gears ☐ Gears (	s (No.	)	ed )		
C C C	D D D	E	☐ Inoperable ☐ Travel Power weak	☐ All Gears (☐ All Gears (☐ G	s No. s No.	)	ed )		
C C C	D D D	E E	☐ Inoperable ☐ Travel Power weak	☐ All Gears ☐ Gears ( ☐ All Gears ☐ Gears ( ☐ All Gears ☐ One of the control of	S (No. S	)	ed )		)
C C C C C	D D D D D	E	☐ Inoperable ☐ Travel Power weak ☐ Unable to Shift-Gear	☐ All Gears ☐ Gears ( ☐ All Gears ☐ Gears ( ☐ All Gears	S (No. S	)	ed )		)

Next page present

Previous page present

APP	EARA	NCE	( 🗆	No Proble	em 🗆	Problem	□ N	ot Inspect	ed )		jo
			Missing								
С	D	E	CAB		Damage	☐ Rust		Corrsion			
С	D	E	Door		Damage	☐ Rust		Corrsion			
С	D	E	Adjustment rod		Crack	☐ Weld		Patch	☐ Bent		Other
С	D	E	Hopper		Crack	☐ Weld	d 🗆	Patch	☐ Bent		Other
С	D	E	Screed		Crack	☐ Weld	d 🗆	Patch	☐ Bent		Other
С	D	E	Conveyor		Crack	☐ Weld	d 🗆	Patch	☐ Bent		Other
С	D	E	Frame		Crack	☐ Weld	d 🗆	Patch	☐ Bent		Other
С	D	Е	Screed plate		Crack	☐ Weld	d 🗆	Patch	☐ Bent		Other
С	D	E	Hopper-cylinder	Oil Leak	( Severe	<ul> <li>Moderate</li> </ul>	• • Minor)	Scratch	(Severe	Moderat	e •Slight)
С	D	E	Lift-cylinder	Oil Leak	( Severe	• Moderate	• • Minor)	Scratch	(Severe	Moderat	e •Slight)
С	D	Е	Pivot-cylinder	Oil Leak	( Severe	• Moderate	• • Minor)	Scratch	(Severe	Moderat	e •Slight)
С	D	E	Slide-cylinder	Oil Leak	( Severe	• Moderate	• • Minor)	Scratch	(Severe	Moderat	e •Slight)
С	D	Е	Operated pump	Oil Leak	( Severe	• Moderate	• • Minor)	Scratch	(Severe	Moderat	e •Slight)
С	D	Е	Piping	Oil Leak	( Severe	• Moderate	• • Minor )	Scratch	(Severe	Moderat	e •Slight)
С	D	E	Hydraulic-oil-hose	Oil Leak	( Severe	• Moderate	• • Minor )	Scratch	(Severe	Moderat	e •Slight)
С	D	Е	Travel-motor	Oil Leak	( Severe	• Moderate	• • Minor )	Scratch	(Severe	Moderat	e •Slight)
С	D	Е	Other								
<u> </u>								_			2,00 mg/s
UNDI	R CA	RRIAG		No Proble		Problem		ot Inspect	ed )		Īσ
			Tyre	☐ Wor		Pund					
			Crawler	☐ Wor	n	☐ Pund	ture				
С	D	Е	Other								